


## THE ŠKODA FABIA RANGE



Introducing the new ŠKODA Fabia. The ŠKODA Fabia is one of the most successful ŠKODA models ever with over 3.4 million models sold since the car made its debut back in 1999. The new Fabia is a completely new car inside and out. Now in its third generation the new Fabia is better in every way.

## EXTERIOR DESIGN

The new Fabia turns heads whichever way it turns. Sharp lines and strong curves define its rear, creating an attractive play of light and shadow. ŠKODA's unmistakable design language is spelt out in the crystal-shaped space for the license plate. The rear of the car also features the familiar illuminated C-shaped rear lights, now with a glossy black framing.



The combi version is proof that form and function can live under the same roof. Its sharp clean lines cleverly enfold the unrivalled space inside. View it from any angle and its perfectly balanced proportions won't fail to impress. It's a great example of dynamic design working in harmony with practicality. Within it boasts luggage capacity that can shame cars from higher vehicle segments.



Don't beg for attention, steal it. Start with getting dressed to impress, then leave them gasping for air. Turn heads wherever you go. Attract secret admirers at every corner. The new Fabia is as beautiful as it is dynamic. The dance between light and shadow continues, with distinctive lines running sideways along with the cut-out lines in the lower door section.







The optional panoramic glass roof stretches all the way from the windscreen to the roof spoiler.



The side indicators are now stylishly located in the side rear-view mirrors.

Sporty headlamp covers with crystal edges in the lower section are further emphasised by LED Lights that are standard from the Ambition model.



## COLOUR CONCEPT

None of us are the same. Whether we like to admit it or not we all like to be different in our own way. In our clothing or with our hair style we all like to be unique. Every Fabia can be unique thanks to the multitude of colour combinations that are offered in the new Fabia.

Silver ColourConcept

Your car should be your signature. Designed exclusively for the hatchback version, ColourConcept offers many options to personalise your new Fabia.

White ColourConcept

The Colour Concept is offered as an optional extra please discuss with your local dealer.

## Red ColourConcept

Choose the roof, side mirrors and wheels in white, silver, red or black and match them with a selection of colours for the main body.

## Black ColourConcept

# C. C.

## **INTERIOR** DESIGN

What's better than looking good on the outside? Feeling good on the inside! True beauty comes from within and the new Fabia doesn't fail to impress.



The car's interior is brimming with quality materials and precise workmanship wherever you look. An emphasis on horizontal lines and fine-tuned ergonomics makes the interior of this compact car comfortable, self-assured and surprisingly spacious.

Enjoy freedom and space when you order a panoramic glass roof on your new Fabia.



Personalise your new Fabia by opting for stylish steel foot pedal covers . Also available as an accessory.





The new Fabia provides extraordinary space for your friends or family in the rear seats.

## **INTERIOR OPTIONS**

Active Specification



Active Black interior

The Active version interior includes black decorative elements, such as door handles, air-ventilation frames and instrument dial frames. Standard equipment includes the Radio Blues infotainment system and a height adjustable driver seat.



Active Black interior

**Ambition Specification** 



The Ambition version interior includes decorative features such as chrome door handles and steering wheel details. You can also choose from a number of seat upholstery and décor colour combinations. Standard equipment includes a 6.5" colour touch screen Bolero radio system and a 3-spoke multifunction leather steering wheel with Bluetooth phone connectivity.







Ambition Red interior, Light Brushed décor

Ambition Grey interior, Basket Matt décor





Style Beige interior, Piano Black décor (with optional sport steering wheel)



Style Black interior, Dark Brushed décor



Style Black interior, Basket Matt décor

The Style version provides a touch of class with the option of Piano Black or Piano White interior dash elements. You can also choose from a number of seat upholstery and décor colour combinations. Standard equipment on the Style includes Easy Start (push button, no need for a key), air-conditioning, rear electric windows and a front centre arm rest for added comfort.



Style Blue interior, Piano White décor



Style Beige interior, Piano Black décor





### Sports sea<mark>ts</mark>



Sports seats

The exclusive sports seats in a special design underline the dynamic character of your car. They are available for the Ambition and Style versions.



Sports seats

## LUGGAGE COMPARTMENT

Store it. Hang it. Lift it. Lock it. Stretch the spacious luggage compartment even further with ingenious details that will make your life that little bit easier.



Cover

For easier loading and transporting of large items, you can put the luggage compartment cover in a retracted position.



### Lowered cover The luggage compartment cover, when fixed in the lower position, allows for the transport of fragile objects.

## Capacity

The new Fabia's spacious luggage compartment runs some impressive numbers: the hatchback offers 330 litres with the seats up and 1,150 litres with the rear seats folded, while the combi offers 530/1,395 litres.

### Net programme

Talk to your dealer about a set of nets from our genuine accessory range that will keep order in your luggage compartment and will prevent luggage from sliding around. Also available as an accessory.

## Folding hooks

Your shopping will be safe from spilling out of the bags when hung on the hooks.

### Flexible storage compartment

This handy accessory can be used to fix smaller objects in place. Also available as an accessory.

## **OUR SPORTY FABIA**

The black exterior elements give the Fabia Monte Carlo a unique style and a ferocious expression. With its distinctive look and impressive handling you will generate excitement, whether cruising in the city or on long drives.



The panoramic glass roof, which comes as standard for both the hatchback and combi version, stretches all the way from the windscreen to the roof spoiler. The Monte Carlo logo can be found on the B-columns. To further enhance the Mone Carlo, we have added SunSet (tinted windows) in the rear and rear parking sensors.



## **MONTE CARLO INTERIOR**

The Monte Carlo interior is a blend of spaciousness, style and practicality. The vehicle will impress you with its personal atmosphere, whether you are sitting in the front or rear.





\* Visit our website for usage terms and compatibility for SmartLink.



The stylish interior is complemented by the noble steel foot pedal covers.

My toys also serve as my tools.



## INFOTAINMENT

Teach your smartphone to be smarter. Introduce it to your other love, your car. Make them speak the same language. Go anywhere. Be anyone. Do anything. But keep all your lives in sync.



### SmartLink

Your car and smartphone are now in perfect sync. With the SmartLink system (Škoda Connectivity bundle supporting MirrorLink®, Apple CarPlay\* and Android Auto\*), the radio enables the driver to safely use the phone while driving. All installed applications that are certified as safe for vehicles are compatible with MirrorLink®, Apple CarPlay or Android Auto.\*\* The SmartLink system is available with Bolero radio and Amundsen navigation system.

### Amundsen/Bolero

The Amundsen navigation system and the Bolero radio, controlled via a 6.5" touch-screen display, come with a USB/Aux-in input jack, slot for SD cards located in the glove compartment, Bluetooth and ŠKODA Surround. The devices can even be used to control the car menu. The Amundsen is supplied with an SD card with maps. SmartLink and DAB (Digital Audio Broadcast) come as optional.

- Detailed information is available at Apple.com/ios/CarPlay and Android.com/Auto.
   Visit our website for usage terms and compatibility information for SmartLink or SmartGate.
- \*\*\* Applications are also compatible with SmartLink.



WiFi to read interesting data about your car, like driving economy, driving dynamics or service information. Information from the Drive application can even be saved on the ŠKODA portal where you can access it from anywhere at anytime.\*\*

27

## COMFORT

Take a deep breath. Seize comfort like you seize attention. Relax on the longest journeys without breaking a sweat. Take complete command of your life, but always look comfortable doing it.

### Electrically-adjustable and heated external mirrors

From the Fabia Ambition model the side rear-view mirrors can be quickly adjusted and defrosted from the comfort of your seat without having to open the windows.





## Electrically-adjustable windows

The controls for the front windows are conveniently located in the door panelling from Ambition models and higher. The Style model has electrically-adjustable rear windows with child safety lock.

### Front armrest

The front armrest on the Style mode conceals a storage compartment for small items as well as increasing the comfort of both the driver and front passenger. Also available as an accessory.







## Height-adjustable front seats

You can easily set the seats according to your height so you feel as comfortable as at home and you have a better and safer view of the road. The Style model even provides the front seat passenger with a height adjustable seat.

## Multifunctional steering wheel

The attractive multifunctional leather steering wheel is not only pleasurable to grip, but enables you to control radio, Maxi DOT and your connected phone.

## **KESSY / Easy Start**

The Fabia Style is equipped with KESSY (Keyless Entry, Start and exit System). Easy Start is start/stop button for keyless switching on and off the engine.

## Air conditioning

For long journeys air conditioning is an excellent companion especially in the summmer months. All Fabia Style models come with air conditioning as standard.



## SYSTEMS TO KEEP YOU SAFE

Get an extra pair of hands. Let technology help you do what you love doing. Remain in the limelight thanks to guardians who remain hidden.

### ESC

The ESC (Electronic Stability Control) is further refined in the new Fabia. Now with XDS+ (electronically controlled differential) you can corner with more confidence. And now in the event of a serious collision; MKB (multi-collision braking system), limits further multiple impacts after the first collision.

# **F** OFF

### SpeedLimiter

The SpeedLimiter available from the Ambition model will help you maintain safe speeds and avoid penalty points.







### Driver Activity Assistant

The Driver Activity Assistant evaluates data from the power steering sensors to detect any driver fatigue behaviour. In such cases, the Maxi DOT display warns the driver to take a break. Available as an optional extra this could suit drivers who spend long periods behind the wheel.



### Front Assistant

Using a radar in the front bumper, the Front Assistant initiates an audio/visual signal, using Maxi DOT, to warn about an impending collision. If the driver fails to respond, the system initiates braking to minimise any possible impact. This optional feature would be useful for drivers **33** that complete a lot of urban driving.



Our most valuable loads are often transported in the rear. Our children, although unaware, will appreciate that the Fabia is equipped with six airbags as standard to provide maximum safety to their parents and siblings.

The new Fabia is equipped with front seat driver and passenger airbags. Front seat side airbags and two curtain airbags as standard equipment.

## **ENGINES & TRANSMISSIONS**

The new Fabia offers more choice than ever. All the engines are brand new to the Fabia and offer superior performance and economy. Whether you choose petrol or diesel you also have the choice of manual or DSG Automatic Transmissions.



### Transmission

Manual transmission addicts can choose between the 5 or 6-speed transmission, depending on the selected engine. Both options offer precise and easy gear shifts thanks to the short gears. If you'd rather enjoy economy and comfort, there's the automatic DSG (Direct Shift Gearbox) transmission.



The Start-Stop system is also brand new to the Fabia and saves fuel by automatically switching off the engine when stopped.



In recent times ŠKODA has focused on producing smaller, lower volume engines that produce excellent power outputs with exceptional efficiency combined with lower taxes. The result of which is our excellent 1.0 MPI, 60bhp and 75bhp units that deliver surprising acceleration and driving dynamics. At the upper end of the power scale we have turbo charged petrol and diesel units producing up to 110bhp.

## COLOURS

		6
Race Blue metallic	Candy White	
Brilliant Silver metallic	Rallye Green metallic	
Moon White metallic	Topaz Brown metallic	
Black Magic pearl effect	Cappuccino Beige metallic	



### **Rio Red metallic**

## Laser White

Corrida Red

Sprint Yellow

## Denim Blue metallic

## Metal Grey metallic

Great exterior design must be dressed in great colours. The new Fabia offers a range of hues in both non metallic and optional metallic variations

## WHEELS




14" steel wheels standard on Active models



15" Carme alloy wheels standard on Ambition models







16" Rock alloy wheels standard on Style models



16" Anita alloy white wheels\*



17" Savio alloy glossy black wheels\*\*



16" Anita alloy red wheels\*

\* Can be fitted to your Fabia as an optional extra. \*\*Only optional on Monte Carlo Also available as an accessory.







17" Camelot alloy wheels\*



17" Clubber alloy wheels\*



15" Mato alloy wheels\*



15" steel wheels with Dentro hub covers\*

## UPHOLSTERY







Sprint Yellow uni
 Black ColourConcept
 Style Black interior
 (also recommended with)

(also recommended with Ambition Grey and Active Black interiors)



For the complete list of colour combinations please visit our website.



- **1** Race Blue metallic
- 2 White ColourConcept
- **3** Style Blue interior

(also recommended with Ambition Blue interior)





- 1 Black Magic pearl effect
- 2 Silver ColourConcept
- **3** Ambition Red interior

- 1 Corrida Red uni
- 2 Black ColourConcept
- **3** Active Black interior

(also recommended with Ambition Grey and Style Black interiors) Moon White metallic Black ColourConcept B Ambition Red interior



1 Corrida Red uni 2 White ColourConcept **3** Ambition Grey interior

> (also recommended with Active Black and Style Black interiors)





24



1 Cappuccino Beige metallic 2 Black ColourConcept **3** Style Black interior

(also recommended with Active Black and Ambition Grey interiors)





## Technical specifications – Fabia

Engine	1.0 MPI/60 bhp	1.0 MPI/75 bhp	1.2 TSI/90 bhp	1.2 TSI/110 bhp	1.4 TDI/90bhp
	Petrol engine	Petrol engine	Turbocharged petrol engine, high-pressure direct injection system	Turbocharged petrol engine, high-pressure direct injection system	Turbocharged diesel engine, high-pressure direct injection common rail system
Cylinders/Cubic capacity (cc)	3/999	3/999	4/1,197	4/1,197	3/1,422
Max. performance/Revs (kW/min <sup>-1</sup> )	44/5,000-6,000	55/6,200	66/4,400-5,400	81/4,600-5,600	66/3,000-3,250
Max. torgue/Revs (Nm/min <sup>-1</sup> )	95/3,000-4,300	95/3,000-4,300	160/1,400-3,500	175/1,400-4,000	230/1,750-2,500
Air pollution regulation	EUG	EU6	EU6	EU6	EU6
Fuel	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95	Unleaded petrol, RON 95	Diesel
Performance					
Maximum speed (km/h)	160	172	182	196	182
Acceleration 0–100 km/h (s)	15.7	14.7	10.9	9.4	11.1
Fuel consumption 99/100 (l/100 km)					
- urban	5.7	5.8	6.0	6.1 (5.8)	4.2 (4.2)
- extra-urban	4.1	4.2	4.0	4.0 (4.1)	3.4 (3.6)
- combined	4.7	4.8	4.7	4.8 (4.7)	3.6 (3.8)
20 <sub>2</sub> emissions (g/km)	106	108	107	110 (109)	100 (104)
Turning circle diameter (m)	10.4	10.4	10.4	10.4	10.4
Power transmission					
Гуре	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive
Clutch	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated
Transmission	Manual 5-speed	Manual 5-speed	Manual 5-speed	Manual 6-speed (Automatic 7-speed DSG)	Manual 5-speed (Automatic 7-speed DSG)
Weight					
Kerb weight - in standard version with a 75kg driver (kg)	1,055	1,055	1,109	1,129 (1,154)	1,156 (1,186)
Payload – incl. a driver and extra equipment (kg)		530	530	530	530
				1,584 (1,609)	
Total weight (kg)	1,510	1,510	1,564		1,611 (1,641)
Trailer load without brakes (max. kg)	520	520	550	560 (570)	570 (590)
Trailer load without brakes (max. kg)	520	520 800	550	560 (570)	570 (590)
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg)	520 800	520 800 compartment	550	560 (570) 1,100	570 (590)
Trailer load without brakes (max. kg) Trailer load with brakes - 12% (max. kg) Body	520 800 5-seater, 5-door, 2-	520 800 compartment	550	560 (570) 1,100 Exterior dimensions	570 (590)
Trailer load without brakes (max. kg) Trailer load with brakes - 12% (max. kg) Body	520 800 5-seater, 5-door, 2-	520 800 compartment	550	560 (570) 1,100 Exterior dimensions Length (mm)	570 (590)
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis	520 800 5-seater, 5-door, 2-	520 800 compartment engine version	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm)	570 (590)
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis	520 800 5-seater, 5-door, 2- 0.316-0.325 according to	520 800 compartment engine version gular links and torsion stabiliser	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm) Height (mm)	570 (590) 1,100
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis Front axle	520 800 5-seater, 5-door, 2- 0.316-0.325 according to McPherson suspension with lower triang	520 800 compartment engine version gular links and torsion stabiliser ank-axle	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm) Height (mm) Wheel base (mm)	570 (590) 1,100
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis Front axle Rear axle Braking system	520 800 5-seater, 5-door, 2- 0.316-0.325 according to McPherson suspension with lower triang Compound link cr.	520 800 compartment engine version gular links and torsion stabiliser ank-axle g system vacuum assisted	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm) Height (mm) Wheel base (mm) Track front/rear (mm) – accordin	570 (590) 1,100
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis Front axle Rear axle Braking system	520 800 5-seater, 5-door, 2- 0.316-0.325 according to McPherson suspension with lower triang Compound link cr. Hydraulic dual-diagonal circuit brakir	520 800 compartment engine version gular links and torsion stabiliser ank-axle ig system vacuum assisted i single-piston floating calliper	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm) Height (mm) Wheel base (mm) Track front/rear (mm) – accordin	570 (590) 1,100
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis Front axle Rear axle Braking system – front brakes – rear brakes	520 800 5-seater, 5-door, 2- 0.316-0.325 according to McPherson suspension with lower triang Compound link cr. Hydraulic dual-diagonal circuit brakir Disc brakes with inner cooling and with	520 800 compartment engine version gular links and torsion stabiliser ank-axle ng system vacuum assisted is single-piston floating calliper depending on engine version	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm) Height (mm) Wheel base (mm) Track front/rear (mm) – accordin Clearance (mm)	570 (590) 1,100
Trailer load without brakes (max. kg) Trailer load with brakes – 12% (max. kg) Body Drag coefficient C <sub>w</sub> Chassis Front axle Rear axle Braking system – front brakes – rear brakes	520 800 5-seater, 5-door, 2- 0.316-0.325 according to McPherson suspension with lower triang Compound link cr. Hydraulic dual-diagonal circuit brakir Disc brakes with inner cooling and with Drum brakes; alternatively disc brakes	520 800 compartment engine version gular links and torsion stabiliser ank-axle ng system vacuum assisted i single-piston floating calliper depending on engine version ectro-mechanic power steering g to engine version	550	560 (570) 1,100 Exterior dimensions Length (mm) Width (mm) Height (mm) Wheel base (mm) Track front/rear (mm) – accordin Clearance (mm) Interior dimensions	570 (590) 1,100 g to engine version


Tank capacity (l)

The listed values apply to the standard model without extra equipment.

45 \* Using low-octane fuel may affect engine performance. () Applies to versions with automatic transmission.







without spare tyre, with rear seat backrests upright/down
 with spare tyre the values are lower by 251



3,992 1,732

1,467 2,470

1,463; 1,457/1,457; 1,451 133

1,401/1,386

1,021/963

330/1,150

## Technical specifications - Fabia Combi

Engine	1.0 MPI/75 bhp	1.2 TSI/90 bhp	1.2 TSI/110 bhp	1.4 TDI/90 bhp	
	Petrol engine	Turbocharged petrol engine, high-pressure direct	Turbocharged petrol engine, high-pressure direct	Turbocharged diesel engine, high-pressure direct	
		injection system	injection system	injection common rail system	
ylinders/Cubic capacity (cc)	3/999	4/1,197	4/1,197	3/1,422	
1ax. performance/Revs (kW/min <sup>-1</sup> )	55/6,200	66/4,400-5,400	81/4,600-5,600	66/3,000-3,250	
Max. torque/Revs (Nm/min <sup>-1</sup> )	95/3,000-4,300	160/1,400-3,500	175/1,400-4,000	230/1,750-2,500	
Air pollution regulation	EUG	EUG	EUG	EUG	
Fuel	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95	Unleaded petrol, RON 95	Diesel	
Performance					
faximum speed (km/h)	175	185	199	184	
Acceleration 0–100 km/h (s)	14.9	11.0	9.6	11.3	
uel consumption 99/100 (l/100 km)					
- urban	5.8	6.0	6.1 (5.8)	4.2 (4.2)	
- extra-urban	4.2	4.0	4.0 (4.1)	3.4 (3.6)	
- combined	4.8	4.7	4.8 (4.7)	3.6 (3.8)	
20 <sub>2</sub> emissions (g/km)	109	107	110 (109)	101 (104)	
Turning circle diameter (m)	10.4	10.4	10.4	10.4	
	10	10	10	10.4	
Power transmission Type	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive	
Clutch	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	
Transmission	Manual 5-speed	Manual 5-speed	Manual 6-speed (Automatic 7-speed DSG)	Manual 5-speed (Automatic 7-speed DSG)	
Weight					
Kerb weight - in standard version with a 75kg driver (kg)	1,079	1,133	1,153 (1,178)	1,180 (1,210)	
Payload – incl. a driver and extra equipment (kg)	530	530	530	530	
Fotal weight (kg)	1,534	1,588	1,608 (1,633)	1,635 (1,665)	
Trailer load without brakes (max. kg)	530	560	570 (580)	590 (600)	
'railer load with brakes – 12% (max. kg)	800	1,000	1,100	1,100	
Body	5-seater, 5-door, 2-compartment		Exterior dimensions		
Drag coefficient C <sub>w</sub>	0.302–0.309 according to engine version		Length (mm)		4,257
			Width (mm)		1,732
Chassis			Height (mm), with/with	hout roof rack	1,488/1,467
Front axle Mo	Pherson suspension with lower triangular links and to	rsion stabiliser	Wheel base (mm)		2,470
Rear axle	Compound link crank-axle		Track front/rear (mm)	- according to engine version	1,463; 1,457/1,457; 1,45
Braking system	Hydraulic dual-diagonal circuit braking system vacuur		Clearance (mm)		135
- front brakes D	isc brakes with inner cooling and with single-piston flo	ating calliper			
- rear brakes I	Drum brakes; alternatively disc brakes depending on en	gine version	Interior dimensions		
Steering Di	rect rack-and-pinion steering with electro-mechanic p	ower steering	Lateral room front/rear (mm)		1,401/1,386
Wheels	5.0] x 14"; 6.0] x 15"		Effective head room fr	ont/rear (mm)	1,021/967
Tyres	175/70 R14; 185/60 R15		Luggage storage spac		500 / DOF
	45			vith rear seat backrests upright/down values are lower by 251	530/1,395

Engine	1.0 MPI/75 bhp	1.2 TSI/90 bhp	1.2 TSI/110 bhp	1.4 TDI/90 bhp	
	Petrol engine	Turbocharged petrol engine, high-pressure direct	Turbocharged petrol engine, high-pressure direct	Turbocharged diesel engine, high-pressure direct	
	2/000	injection system	injection system	injection common rail system	
Cylinders/Cubic capacity (cc)	3/999	4/1,197	4/1,197	3/1,422	
Max. performance/Revs (kW/min <sup>-1</sup> )	55/6,200	66/4,400-5,400	81/4,600-5,600	66/3,000-3,250	
Max. torque/Revs (Nm/min <sup>-1</sup> )	95/3,000-4,300	160/1,400-3,500	175/1,400-4,000	230/1,750-2,500	
Air pollution regulation	EUG	EU6	EUG	EUG	
Fuel	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95	Unleaded petrol, RON 95	Diesel	
Performance					
Maximum speed (km/h)	175	185	199	184	
Acceleration 0–100 km/h (s)	14.9	11.0	9.6	11.3	
Fuel consumption 99/100 (I/100 km)					
- urban	5.8	6.0	6.1 (5.8)	4.2 (4.2)	
- extra-urban	4.2	4.0	4.0 (4.1)	3.4 (3.6)	
- combined	4.8	4.7		. ,	
	109	107	4.8 (4.7)	3.6 (3.8)	
CO <sub>2</sub> emissions (g/km)			110 (109)	101 (104)	
Turning circle diameter (m)	10.4	10.4	10.4	10.4	
Power transmission					
Туре	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive	
Clutch	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	
Transmission	Manual 5-speed	Manual 5-speed	Manual 6-speed (Automatic 7-speed DSG)	Manual 5-speed (Automatic 7-speed DSG)	
Weight					
Kerb weight – in standard version with a 75kg driver (kg)	1,079	1,133	1,153 (1,178)	1,180 (1,210)	
Payload – incl. a driver and extra equipment (kg)	530	530	530	530	
Total weight (kg)	1,534	1,588	1,608 (1,633)	1,635 (1,665)	
Trailer load without brakes (max. kg)	530	560	570 (580)	590 (600)	
Trailer load with brakes – 12% (max. kg)	800	1,000	1,100	1,100	
Body	5-seater, 5-door, 2-compartment		Exterior dimensions		
Drag coefficient C	0.302–0.309 according to engine version		Length (mm)		
			Width (mm)		
Chassis			Height (mm), with/with	hout roof rack	
	IcPherson suspension with lower triangular links and	torsion stabiliser	Wheel base (mm)		
Rear axle	Compound link crank-axle			- according to engine version	1,46
Braking system	Hydraulic dual-diagonal circuit braking system vac	uum assisted	Clearance (mm)	according to engine version	1,-10
	Disc brakes with inner cooling and with single-piston				
	Drum brakes; alternatively disc brakes depending on	5 1	Interior dimensions		
	Direct rack-and-pinion steering with electro-mechani		Lateral room front/rea	er (mm)	
	5.0  x 14"; 6.0  x 15"	c power steering			
Wheels	5.UJ X 14 ; 6.UJ X 15 175/70 R14; 185/60 R15		Effective head room front/rear (mm)		
Tyres	1/5//U R14; 105/0U R15		Luggage storage space (max. l)		
			– without spare tyre, v	with rear seat backrests upright/down	

Engine	1.0 MPI/75 bhp	1.2 TSI/90 bhp	1.2 TSI/110 bhp	1.4 TDI/90 bhp	
	Petrol engine	Turbocharged petrol engine, high-pressure direct	Turbocharged petrol engine, high-pressure direct	Turbocharged diesel engine, high-pressure direct	
		injection system	injection system	injection common rail system	
Cylinders/Cubic capacity (cc)	3/999	4/1,197	4/1,197	3/1,422	
Max. performance/Revs (kW/min <sup>-1</sup> )	55/6,200	66/4,400-5,400	81/4,600-5,600	66/3,000-3,250	
Max. torque/Revs (Nm/min <sup>-1</sup> )	95/3,000-4,300	160/1,400-3,500	175/1,400-4,000	230/1,750-2,500	
Air pollution regulation	EUG	EUG	EUG	EUG	
Fuel	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95	Unleaded petrol, RON 95	Diesel	
Performance					
Maximum speed (km/h)	175	185	199	184	
Acceleration 0–100 km/h (s)	14.9	11.0	9.6	11.3	
Fuel consumption 99/100 (I/100 km)					
- urban	5.8	6.0	6.1 (5.8)	4.2 (4.2)	
- extra-urban	4.2	4.0	4.0 (4.1)	3.4 (3.6)	
- combined	4.8	4.7	4.8 (4.7)	3.6 (3.8)	
CO <sub>2</sub> emissions (g/km)	109	107	110 (109)	101 (104)	
Turning circle diameter (m)	10.4	10.4	10.4	10.4	
	10.4	10.4	10.4	10.4	
Power transmission					
Type	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive	
Clutch	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	
Transmission	Manual 5-speed	Manual 5-speed	Manual 6-speed (Automatic 7-speed DSG)	Manual 5-speed (Automatic 7-speed DSG)	
Weight					
Kerb weight – in standard version with a 75kg driver (kg)	1,079	1,133	1,153 (1,178)	1,180 (1,210)	
Payload - incl. a driver and extra equipment (kg)	530	530	530	530	
Total weight (kg)	1,534	1,588	1,608 (1,633)	1,635 (1,665)	
Trailer load without brakes (max. kg)	530	560	570 (580)	590 (600)	
Trailer load with brakes – 12% (max. kg)	800	1,000	1,100	1,100	
Body	5-seater, 5-door, 2-compartment		Exterior dimensions		
Drag coefficient C	0.302–0.309 according to engine versior	1	Length (mm)		
			Width (mm)		
Chassis			Height (mm), with/with	nout roof rack	
Front axle N	McPherson suspension with lower triangular links and torsion stabiliser		Wheel base (mm)		
Rear axle	Compound link crank-axle		Track front/rear (mm) – according to engine version		1,46
Braking system	Hydraulic dual-diagonal circuit braking system vacu	um assisted	Clearance (mm)		
- front brakes	Disc brakes with inner cooling and with single-piston f	floating calliper			
– rear brakes	Drum brakes; alternatively disc brakes depending on e	engine version	Interior dimensions		
Steering I	Direct rack-and-pinion steering with electro-mechanic	power steering	Lateral room front/rear (mm)		
Wheels	5.0J x 14"; 6.0J x 15"		Effective head room front/rear (mm)		
Tyres	175/70 R14; 185/60 R15		Luggage storage space (max. I)		
			- without spare tyre, v	vith rear seat backrests upright/down	

Engine	1.0 MPI/75 bhp	1.2 TSI/90 bhp	1.2 TSI/110 bhp	1.4 TDI/90 bhp	
	Petrol engine	Turbocharged petrol engine, high-pressure direct	Turbocharged petrol engine, high-pressure direct	Turbocharged diesel engine, high-pressure direct	
Culta da car (Cultia cara a situ (car)	2/000	injection system	injection system	injection common rail system	
Cylinders/Cubic capacity (cc)	3/999	4/1,197	4/1,197	3/1,422	
Max. performance/Revs (kW/min <sup>-1</sup> )	55/6,200	66/4,400-5,400	81/4,600-5,600	66/3,000-3,250	
Max. torque/Revs (Nm/min <sup>-1</sup> )	95/3,000-4,300	160/1,400-3,500	175/1,400-4,000	230/1,750-2,500	
Air pollution regulation	EU6	EUG	EUG	EUG	
Fuel	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95	Unleaded petrol, RON 95	Diesel	
Performance					
Maximum speed (km/h)	175	185	199	184	
Acceleration 0–100 km/h (s)	14.9	11.0	9.6	11.3	
Fuel consumption 99/100 (I/100 km)					
- urban	5.8	6.0	6.1 (5.8)	4.2 (4.2)	
- extra-urban	4.2	4.0	4.0 (4.1)	3.4 (3.6)	
- combined	4.8	4.7		( )	
	109	107	4.8 (4.7)	3.6 (3.8)	
CO <sub>2</sub> emissions (g/km)			110 (109)	101 (104)	
Turning circle diameter (m)	10.4	10.4	10.4	10.4	
Power transmission					
Туре	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive	
Clutch	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	
Transmission	Manual 5-speed	Manual 5-speed	Manual 6-speed (Automatic 7-speed DSG)	Manual 5-speed (Automatic 7-speed DSG)	
Weight					
Kerb weight – in standard version with a 75kg driver (kg)	1,079	1,133	1,153 (1,178)	1,180 (1,210)	
Payload – incl. a driver and extra equipment (ke	a) 530	530	530	530	
Total weight (kg)	1,534	1,588	1,608 (1,633)	1,635 (1,665)	
Trailer load without brakes (max. kg)	530	560	570 (580)	590 (600)	
Trailer load with brakes – 12% (max. kg)	800	1,000	1,100	1,100	
Body	5-seater, 5-door, 2-compartment		Exterior dimensions		
Drag coefficient C	0.302–0.309 according to engine version		Length (mm)		
			Width (mm)		
Chassis			Height (mm), with/wit	nout roof rack	
Front axle	McPherson suspension with lower triangular links and to	orsion stabiliser	Wheel base (mm)		
Rear axle	Compound link crank-axle		Track front/rear (mm) – according to engine version		1,46
Braking system	Hydraulic dual-diagonal circuit braking system vacuu	m assisted	Clearance (mm)		
- front brakes	Disc brakes with inner cooling and with single-piston flo				
- rear brakes	Drum brakes; alternatively disc brakes depending on er		Interior dimensions		
Steering	Direct rack-and-pinion steering with electro-mechanic		Lateral room front/rear (mm)		
Wheels	5.0] x 14"; 6.0] x 15"	Some Steering	Effective head room front/rear (mm)		
Tyres	175/70 R14; 185/60 R15		Luggage storage space		
				vith rear seat backrests upright/down	

Engine	1.0 MPI/75 bhp	1.2 TSI/90 bhp	1.2 TSI/110 bhp	1.4 TDI/90 bhp	
	Petrol engine	Turbocharged petrol engine, high-pressure direct	Turbocharged petrol engine, high-pressure direct	Turbocharged diesel engine, high-pressure direct	
		injection system	injection system	injection common rail system	
Cylinders/Cubic capacity (cc)	3/999	4/1,197	4/1,197	3/1,422	
Max. performance/Revs (kW/min <sup>-1</sup> )	55/6,200	66/4,400-5,400	81/4,600-5,600	66/3,000-3,250	
Max. torque/Revs (Nm/min <sup>-1</sup> )	95/3,000-4,300	160/1,400-3,500	175/1,400-4,000	230/1,750-2,500	
Air pollution regulation	EU6	EU6	EU6	EU6	
Fuel	Unleaded petrol, RON 95/91*	Unleaded petrol, RON 95	Unleaded petrol, RON 95	Diesel	
Performance					
Maximum speed (km/h)	175	185	199	184	
Acceleration 0–100 km/h (s)	14.9	11.0	9.6	11.3	
Fuel consumption 99/100 (I/100 km)					
- urban	5.8	6.0	6.1 (5.8)	4.2 (4.2)	
- extra-urban	4.2	4.0	4.0 (4.1)	3.4 (3.6)	
- combined	4.8	4.7	4.8 (4.7)	3.6 (3.8)	
CO <sub>2</sub> emissions (g/km)	109	107	- ( )	101 (104)	
2 0 1	10.4	10.4	110 (109) 10.4	10.4	
Turning circle diameter (m)	10.4	10.4	10.4	10.4	
Power transmission	Preset of the effective	Frank where I dolve	France school dates	Example of the set of the	
Type Clutch	Front-wheel drive	Front-wheel drive	Front-wheel drive	Front-wheel drive Hydraulic single dry clutch	
Clutth	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc	Hydraulic single dry clutch disc (Twin coaxial clutch, electro-hydraulically operated)	disc (Twin coaxial clutch, electro-hydraulically operated)	
Transmission	Manual 5-speed	Manual 5-speed	Manual 6-speed (Automatic 7-speed DSG)	Manual 5-speed (Automatic 7-speed DSG)	
Weight					
Kerb weight - in standard version with a 75kg driver (kg)	1,079	1,133	1,153 (1,178)	1,180 (1,210)	
Payload – incl. a driver and extra equipment (kg		530	530	530	
Total weight (kg)	1,534	1,588	1,608 (1,633)	1,635 (1,665)	
Trailer load without brakes (max. kg)	530	560	570 (580)	590 (600)	
Trailer load with brakes – 12% (max. kg)	800	1,000	1,100	1,100	
Body	5-seater, 5-door, 2-compartment		Exterior dimensions		
Drag coefficient C	0.302–0.309 according to engine version		Length (mm)		
			Width (mm)		
Chassis			Height (mm), with/with	nout roof rack	
Front axle	McPherson suspension with lower triangular links and torsion stabiliser		Wheel base (mm)		
Rear axle	Compound link crank-axle		Track front/rear (mm) – according to engine version		1,46
Braking system	Hydraulic dual-diagonal circuit braking system vacuu	m assisted	Clearance (mm)		
- front brakes	Disc brakes with inner cooling and with single-piston flu	oating calliper	<u>.</u>		
- rear brakes	Drum brakes; alternatively disc brakes depending on er	ngine version	 Interior dimensions		
Steering	Direct rack-and-pinion steering with electro-mechanic p		Lateral room front/rea	r (mm)	
Wheels	5.0J x 14"; 6.0J x 15"		Effective head room front/rear (mm)		
Tyres	175/70 R14; 185/60 R15		Luggage storage space (max. I)		
-			- without spare tyre y	vith rear seat backrests upright/down	

### Tank capacity (l)


The listed values apply to the standard model without extra equipment.



45 \* Using low-octane fuel may affect engine performance.

() Applies to versions with automatic transmission.









## IF YOU'VE ENJOYED READING ABOUT IT IMAGINE DRIVING IT

### VISIT WWW.SKODA.IE FOR FURTHER INFORMATION

All prices include recommended delivery (€600) but exclude the cost of metallic paint. Finance Example: Fabia Active 1.0 MPI 60bhp on the road price €14,975. Deposit €4,460.06. 36 monthly payments €169 (including service plan of €13.99 per month). Optional Final Payment €5,750. APR 3.9% Total cost of credit €965.42. Minimum deposit 10%. Hire purchase agreement subject to lending criteria. T&Cs apply. Volkswagen Bank GmbH Branch Ireland, trading as SKODA Finance is authorized by the Federal Financial Supervisory Authority in Germany and regulated by the Central Bank of Ireland for conduct of business rules.